

- Pratt, L. H. and W. R. Briggs. 1966. Photochemical and non-photochemical reactions of phytochrome *in vivo*. *Plant Physiol.* 41:467-474.
- Pratt, L. H. and N. I. Bishop. 1968. Chloroplast reactions of photosynthetic mutants of *Scenedesmus obliquus*. *Biochim. Biophys. Acta* 153:664-675.
- Pratt, L. H. and N. I. Bishop. 1968. The 520 nm light-induced absorbance change in photosynthetic mutants of *Scenedesmus*. *Biochim. Biophys. Acta* 162:369-379.
- Pratt, L. H. and W. L. Butler. 1968. Stabilization of phytochrome intermediates by low temperature. *Photochem. Photobiol.* 8:477-485.
- Pratt, L. H. and W. L. Butler. 1970. The temperature dependence of phytochrome transformations. *Photochem. Photobiol.* 11:361-369.
- Pratt, L. H. and W. L. Butler. 1970. Phytochrome conversion by ultraviolet light. *Photochem. Photobiol.* 11:503-509.
- Whittier, D. P. and L. H. Pratt. 1971. The effect of light quality on the induction of apogamy in prothalli of *Pteridium aquilinum*. *Planta* 99:174-178.
- Pratt, L. H. and R. A. Coleman. 1971. Immunocytochemical localization of phytochrome. *Proc. Natl. Acad. Sci. USA* 68:2431-2435.
- Pratt, L. H. 1973. Comparative immunochemistry of phytochrome. *Plant Physiol.* 51:203-209.
- Cundiff, S. C. and L. H. Pratt. 1973. Immunological determination of the relationship between large and small sizes of phytochrome. *Plant Physiol.* 51:210-213.
- Pratt, L. H. 1973. Molecular properties of phytochrome. *What's New in Plant Physiology* 5, number 5.
- Kidd, G. H. and L. H. Pratt. 1973. Phytochrome destruction: an apparent requirement for protein synthesis in the induction of the destruction mechanism. *Plant Physiol.* 52:309-311.
- Pratt, L. H. and R. A. Coleman. 1974. Phytochrome distribution in etiolated grass seedlings as assayed by an indirect antibody-labelling method. *Amer. J. Bot.* 61:195-202.
- Pratt, L. H., G. H. Kidd and R. A. Coleman. 1974. An immunochemical characterization of the phytochrome destruction reaction. *Biochim. Biophys. Acta* 365:93-107.
- Coleman, R. A. and L. H. Pratt. 1974. Phytochrome: immunocytochemical assay of synthesis and destruction. *Planta* 119:221-231.
- Coleman, R. A. and L. H. Pratt. 1974. Electron microscopic localization of phytochrome in plants using an indirect antibody labelling method. *J. Histochem. Cytochem.* 22:1039-1047.
- Coleman, R. A. and L. H. Pratt. 1974. Subcellular localization of the red-absorbing form of phytochrome by immunocytochemistry. *Planta* 121:119-131.
- Pratt, L. H. and S. C. Cundiff. 1975. Spectral characterization of high-molecular-weight phytochrome. *Photochem. Photobiol.* 21:91-97.
- Pratt, L. H. 1975. Kinetic analysis of a very rapidly reverting population of high-molecular-weight phytochrome. *Photochem. Photobiol.* 21:99-103.
- Cundiff, S. C. and L. H. Pratt. 1975. Phytochrome characterization by rabbit antiserum against high molecular weight phytochrome. *Plant Physiol.* 55:207-211.
- Cundiff, S. C. and L. H. Pratt. 1975. Immunological and physical characterization of the products of phytochrome proteolysis. *Plant Physiol.* 55:212-217.
- Mackenzie, J. M., Jr., R. A. Coleman, W. R. Briggs and L. H. Pratt. 1975. Reversible redistribution of phytochrome within the cell upon conversion to its physiologically active form. *Proc. Natl. Acad. Sci. USA* 72:799-803.
- Pratt, L. H. 1975. Photochemistry of high-molecular-weight phytochrome *in vitro*. *Photochem. Photobiol.* 22:33-36.
- Grombein, S., L. Pratt, W. Rüdiger and D. Marmé. 1975. Phytochrome pelletability in extracts of *Avena* shoots. *Plant Science Letters* 5:275-280.

- Pratt, L. H. 1976. Reexamination of photochemical properties and absorption characteristics of phytochrome using high-molecular-weight preparations. In: *Light and Plant Development*, H. Smith, ed., Butterworth, London, pp. 19-30.
- Pratt, L. H., R. A. Coleman and J. M. Mackenzie, Jr. 1976. Immunological visualization of phytochrome. In: *Light and Plant Development*, H. Smith, ed., Butterworth, London, pp. 75-94.
- Pratt, L. H. and D. Marmé. 1976. Red light-enhanced phytochrome pelletability: a reexamination and further characterization. *Plant Physiol.* 58:686-692.
- Boisard, J. and M.-M. Cordonnier. 1976. Association phytochrome-particules subcellulaires et métabolisme du photorécepteur. *Physiol. Vég.* 14: 415-425.
- Pratt, L. H. 1977. Progress toward an understanding of the molecular mode of action of phytochrome. In: *Research in Photobiology*, A. Castellani, ed., Plenum Press, London, pp. 511-519.
- Gabriac, B., M.-M. Cordonnier and J. Boisard. 1978. Sédimentation du phytochrome: à propos de l'induction *in vitro* du phénomène. *Plant Sci. Lett.* 13: 341-350.
- Pratt, L. H. 1978. Molecular properties of phytochrome. *Photochem. Photobiol.* 27:81-105 (review article).
- Pratt, L. H. 1978. Immunocytochemistry and the visualization of phytochrome. *What's New in Plant Physiology* 9, number 1.
- Mackenzie, J. M., Jr., W. R. Briggs and L. H. Pratt. 1978. Intracellular phytochrome distribution as a function of its molecular form and of its destruction. *Amer. J. Bot.* 65:671-676.
- Mackenzie, J. M., Jr., W. R. Briggs and L. H. Pratt. 1978. Phytochrome photoreversibility: empirical test of the hypothesis that it varies as a consequence of pigment compartmentation. *Planta* 141:129-134.
- Kidd, G. H., R. E. Hunt, M. L. Boeshore and L. H. Pratt. 1978. Asymmetry in the primary structure of undegraded phytochrome. *Nature* 276:733-735.
- Quail, P. H., W. R. Briggs and L. H. Pratt. 1978. *In vivo* phosphorylation of phytochrome. *Carnegie Institution Year Book* 77:342-344.
- Stone, H. and L. H. Pratt. 1978. Phytochrome destruction: apparent inhibition by ethylene. *Plant Physiol.* 62:922-923.
- Stone, H. and L. H. Pratt. 1979. Characterization of the destruction of phytochrome in the red-absorbing form. *Plant Physiol.* 63:680-682.
- Boeshore, M. L. and L. H. Pratt. 1979. Relationship between *in vivo*-induced pelletability of phytochrome and its molecular properties. In: *Plant Growth and Light Perception*, B. Deutch, ed., University of Aarhus, Denmark, pp. 117-136.
- Pratt, L. H. 1979. Phytochrome: function and properties. In: *Photochemical and Photobiological Reviews*, Vol. 4, K. C. Smith, ed., Plenum Press, New York, pp. 59-124.
- Hunt, R. E. and L. H. Pratt. 1979. Phytochrome radioimmunoassay. *Plant Physiol.* 64:327-331.
- Hunt, R. E. and L. H. Pratt. 1979. Phytochrome immunoaffinity purification. *Plant Physiol.* 64:332-336.
- Boisard, J., M.-M. Cordonnier, B. Gabriac, D. Marmé and L. H. Pratt. 1979. Apparent increase in photodetectable phytochrome in the presence of calcium carbonate. *Photochem. Photobiol.* 30:513-518.
- Hunt, R. E. and L. H. Pratt. 1980. Partial characterization of undegraded oat phytochrome. *Biochemistry* 19:390-394.
- Hunt, R. E. and L. H. Pratt. 1980. Radioimmunoassay of phytochrome content in green, light-grown oats. *Plant, Cell and Environment* 3:91-95.
- Cordonnier, M.-M. and L. H. Pratt. 1980. Preparation, characterization, and utilization of anti-serum against zucchini phytochrome. In: *Photoreceptors and Plant Development*, J. DeGreef, ed., Antwerpen University Press, pp. 69-78.

- Epel, B. L., W. L. Butler, L. H. Pratt and K. T. Tokuyasu. 1980. Immunofluorescence localization of the Pr and Pfr forms of phytochrome in the coleoptile tips of oats, corn and wheat. In: *Photoreceptors and Plant Development*, J. DeGreef, ed., Antwerpen University Press, pp. 121-133.
- Pratt, L. H. 1980. Phytochrome purification and assay. In: *Photoreceptors and Plant Development*, J. DeGreef, ed., Antwerpen University Press, pp. 103-119.
- Boeshore, M. L. and L. H. Pratt. 1980. Phytochrome modification and light-enhanced, *in vivo*-induced phytochrome pelletability. *Plant Physiol.* 66:500-504.
- Pratt, L. H. 1980. Phytochrome pelletability induced by irradiation *in vivo*: test for *in vitro* binding of added [<sup>35</sup>S]phytochrome. *Plant Physiol.* 66:903-907.
- Hunt, R. E. and L. H. Pratt. 1981. Physicochemical differences between the red- and the far-red-absorbing forms of phytochrome. *Biochemistry* 20:941-945.
- Boeshore, M. L. and L. H. Pratt. 1981. Characterization of a molecular modification of phytochrome that is associated with its conversion to the far-red-absorbing form. *Plant Physiol.* 68:789-797.
- Cordonnier, M.-M., P. Mathis, and L. H. Pratt. 1981. Phototransformation kinetics of undegraded oat and pea phytochrome initiated by laser flash excitation of the red-absorbing form. *Photochem. Photobiol.* 34:733-740.
- Shimazaki, Y., Y. Moriyasu, L. H. Pratt, and M. Furuya. 1981. Isolation of the red-light-absorbing form of phytochrome from light-grown pea shoots. *Plant Cell Physiol.* 22:1165-1173.
- Cordonnier, M.-M. and L. H. Pratt. 1982. Immunopurification and initial characterization of dicotyledonous phytochrome. *Plant Physiol.* 69:360-363.
- Pratt, L. H. 1982. Phytochrome: the protein moiety. *Annual Review of Plant Physiology* 33:557-582.
- Cordonnier, M.-M. and L. H. Pratt. 1982. Comparative phytochrome immunochemistry as assayed by antisera against both monocotyledonous and dicotyledonous phytochrome. *Plant Physiol.* 70:912-916.
- Pratt, L. H., Y. Shimazaki, Y. Inoue, and M. Furuya. 1982. Analysis of phototransformation intermediates in the pathway from the red-absorbing to the far-red-absorbing form of *Avena* phytochrome by a multichannel transient spectrum analyzer. *Photochem. Photobiol.* 36:471-477.
- Verbelen, J.-P., L. H. Pratt, W. L. Butler, and K. T. Tokuyasu. 1982. Localization of phytochrome in oats by electron microscopy. *Plant Physiol.* 70:867-871.
- Pratt, L. H. 1983. Phytochrome assay. In: *Photomorphogenesis*, W. Shropshire, Jr., and H. Mohr, eds., *Encyclopedia of Plant Physiology, New Series*, Vol. 16A, Springer-Verlag, pp. 152-177.
- Pratt, L. H. 1983. Molecular properties of phytochrome and their relationship to phytochrome function. In: *Strategies of Plant Reproduction*, W. Meudt, ed., Allenheld, Osmun and Co., pp. 117-134.
- Pratt, L. H. 1983. Phytochrome: molecular aspects. In: *Topics in Photobiology*, H.-O. Kim and P.-S. Song, eds., Jeju National University, Korea, pp. 109-128.
- Cordonnier, M.-M., C. Smith, H. Greppin and L. H. Pratt. 1983. Production and purification of monoclonal antibodies to *Pisum* and *Avena* phytochrome. *Planta* 158:369-376.
- Shimazaki, Y., M.-M. Cordonnier and L. H. Pratt. 1983. Phytochrome quantitation in crude extracts of *Avena* by enzyme-linked immunosorbent assay with monoclonal antibodies. *Planta* 159:534-544.
- Saunders, M. J., M.-M. Cordonnier, B. Palevitz and L. H. Pratt. 1983. Immunofluorescence visualization of phytochrome in *Pisum sativum* L. epicotyls using monoclonal antibodies. *Planta* 159:545-553.

- Cordonnier, M.-M., H. Greppin and L. H. Pratt. 1984. Characterization by an enzyme-linked immunosorbent assay of monoclonal antibodies to both *Pisum* and *Avena* phytochrome. *Plant Physiol.* 74:123-127.
- Pratt, L. H., Y. Inoue and M. Furuya. 1984. Photoactivity of transient intermediates in the pathway from the red-absorbing to the far-red-absorbing form of *Avena* phytochrome as observed by a double-flash transient-spectrum analyzer. *Photochem. Photobiol.* 39:241-246.
- Pratt, L. H. 1984. Phytochrome immunochemistry. In: *Techniques in Photomorphogenesis*, H. Smith, ed., Academic Press, pp. 201-226.
- Pratt, L. H. 1984. Phytochrome purification. In: *Techniques in Photomorphogenesis*, H. Smith, ed., Academic Press, pp. 175-200.
- Pratt, L. H. 1984. Application of monoclonal antibodies to characterization of phytochrome. In: *Hybridoma Technology in Agricultural and Veterinary Research*, N. Stern and H. R. Gamble, eds., Rowman and Allanheld, pp. 243-245.
- Vierstra, R. D., M.-M. Cordonnier, L. H. Pratt and P. H. Quail. 1984. Native phytochrome: immunoblot analysis of relative molecular mass and *in-vitro* proteolytic degradation for several plant species. *Planta* 160:521-528.
- Pratt, L. H., J. E. Wampler and E. S. Rich. 1985. An automated dual-wavelength spectrophotometer optimized for phytochrome assay. *Analytical Instrumentation* 13:269-287.
- Cordonnier, M.-M., H. Greppin and L. H. Pratt. 1985. Monoclonal antibodies with differing affinities to the red- and far-red-absorbing forms of phytochrome. *Biochemistry* 24:3246-3253.
- Shimazaki, Y. and L. H. Pratt. 1985. Immunochemical detection with rabbit polyclonal and mouse monoclonal antibodies of different pools of phytochrome from etiolated and green *Avena* shoots. *Planta* 164:333-344.
- Pratt, L. H., D. McCurdy, Y. Shimazaki and M.-M. Cordonnier. 1986. Immunodetection of phytochrome: immunocytochemistry, immunoblotting, and immunoquantitation. In: *Modern Methods of Plant Analysis, New Series*, Vol. 4, H.-F. Linskens and J. F. Jackson, eds., Springer-Verlag, pp. 50-74.
- Pratt, L. H. 1986. Phytochrome localization. In: *Photomorphogenesis in Plants*, R. E. Kendrick and G. H. M. Kronenberg, eds., Martinus Nijhoff/Dr. W. Junk, pp. 61-81.
- Cordonnier, M.-M., H. Greppin and L. H. Pratt. 1986. Identification of a highly conserved domain on phytochrome from angiosperms to algae. *Plant Physiol.* 80:982-987.
- McCurdy, D. W. and L. H. Pratt. 1986. Kinetics of phytochrome redistribution in *Avena* coleoptiles after its photoconversion to the active, far-red-absorbing form. *Planta* 167:330-336.
- Shimazaki, Y., M.-M. Cordonnier and L. H. Pratt. 1986. Identification with monoclonal antibodies of a second antigenic domain on *Avena* phytochrome that changes upon its photoconversion. *Plant Physiol.* 82:109-113.
- Shimazaki, Y. and L. H. Pratt. 1986. Immunoprecipitation of phytochrome from green *Avena* by rabbit antisera to phytochrome from etiolated *Avena*. *Planta* 168:512-515.
- Raikhel, A. S., L. H. Pratt and A. O. Lea. 1986. Monoclonal antibodies as probes for processing of yolk protein in the mosquito: production and characterization. *J. Insect Physiol.* 32:879-890.
- McCurdy, D. W. and L. H. Pratt. 1986. Immunogold electron microscopy of phytochrome in *Avena*: identification of intracellular sites responsible for phytochrome sequestering and enhanced pelletability. *J. Cell Biol.* 103:2541-2550.
- Cordonnier, M.-M., H. Greppin and L. H. Pratt. 1986. Phytochrome from green *Avena* shoots characterized with a monoclonal antibody to phytochrome from etiolated *Pisum* shoots. *Biochemistry* 25:7657-7666.
- Raikhel, N. V. and L. H. Pratt. 1987. Wheat germ agglutinin accumulation in coleoptiles of different genotypes of wheat. Localization by monoclonal antibodies. *Plant Cell Reports* 6:146-149.

- Cordonnier, M.-M. 1987. Recent advances in the study of the protein moiety of phytochrome. In: *From Photophysics to Photobiology*, A. Favre, R. Tyrrel and J. Cadet, eds., Elsevier, Amsterdam, pp. 229-244.
- Pratt, L. H. and M.-M. Cordonnier. 1987. Phytochrome from green *Avena*. In: *Phytochrome and Photoregulation in Plants*, M. Furuya, ed., Academic Press, Tokyo, pp. 83-94.
- Chai, Y.-G., P.-S. Song, M.-M. Cordonnier and L. H. Pratt. 1987. A photoreversible CD spectral change in oat phytochrome is suppressed by a monoclonal antibody that binds near its N-terminus and by chromophore modification. *Biochemistry* 26:4947-4952.
- Pratt, L. H., M.-M. Cordonnier and J. C. Lagarias. 1988. Mapping of antigenic domains on phytochrome from etiolated *Avena sativa* L. by immunoblot analysis of proteolytically derived peptides. *Arch. Biochem. Biophys.* 267:723-735.
- Gallagher, S., T. W. Short, P. M. Ray, L. H. Pratt and W. R. Briggs. 1988. Light-mediated changes in two proteins found associated with plasma membrane fractions from pea stem sections. *Proc. Natl. Acad. Sci. USA* 85:8003-8007.
- Thompson, L. K., L. H. Pratt, M.-M. Cordonnier, S. Kadwell, J.-L. Darlix and L. Crossland. 1989. Fusion protein-based epitope mapping of phytochrome: precise identification of an evolutionarily conserved domain. *J. Biol. Chem.* 264:12426-12431.
- Pratt, L. H. and M.-M. Cordonnier. 1989. Photomorphogenesis. In: *The Science of Photobiology*, second edition, K. C. Smith, ed., Plenum Press, pp. 273-304.
- Chory, J., C. Peto, M. Ashbaugh, R. Saganich, L. Pratt and F. Ausubel. 1989. Different roles for phytochrome in etiolated and green plants deduced from characterization of *Arabidopsis thaliana* mutants. *Plant Cell* 1:867-880.
- Chory, J., C. Peto, R. Feinbaum, L. Pratt and F. Ausubel. 1989. *Arabidopsis thaliana* mutant that develops as a light-grown plant in the absence of light. *Cell* 58:991-999.
- Cordonnier, M.-M. 1989. Monoclonal antibodies: molecular probes for the study of phytochrome. *Photochem. Photobiol.*, **49**: 821-831. Invited yearly review.
- Pratt, L. H., H. Senger and P. Galland. 1990. Phytochrome and other photoreceptors. In: *Methods in Plant Biochemistry*, Vol. 4, J. R. Bowyer and J. Harwood, eds., Academic Press, London, pp. 185-230.
- Pratt, L. H., Y. Shimazaki, S. J. Stewart and M.-M. Cordonnier. 1991. Large-scale partial purification of phytochrome from green leaves of *Avena sativa* L. *Planta* 184:81-86.
- Pratt, L. H., S. J. Stewart, Y. Shimazaki, Y.-C. Wang and M.-M. Cordonnier. 1991. Monoclonal antibodies directed to phytochrome from green leaves of *Avena sativa* L. cross react weakly or not at all with the phytochrome that is most abundant in etiolated shoots of the same species. *Planta* 184:87-95.
- Wang, Y.-C., S. J. Stewart, M.-M. Cordonnier and L. H. Pratt. 1991. *Avena sativa* L. contains three phytochromes, only one of which is abundant in etiolated tissue. *Planta* 184:96-104.
- Pratt, L. H., M.-M. Cordonnier and L. Crossland. 1991. Phytochrome structure/function relationships as probed by monoclonal antibodies. In: *Photobiology: the Science and its Applications*, E. Riklis, ed., Plenum Press, New York, pp. 461-468.
- Cordonnier, M.-M. and L. H. Pratt. 1991. Phytochrome from green *Avena* characterized with monoclonal antibodies directed to it. In: *Photobiology: the Science and its Applications*, E. Riklis, ed., Plenum Press, New York, 469-477.
- Pratt, L. H., M.-M. Cordonnier, Y.-C. Wang, S. J. Stewart and M. Moyer. 1991. Evidence for three phytochromes in *Avena*. In: *Phytochrome Properties and Biological Action*, B. Thomas and C. B. Johnson, eds., Springer-Verlag, Berlin, pp. 39-55.
- Childs, K. L., L. H. Pratt and P. W. Morgan. 1991. Genetic regulation of development in *Sorghum bicolor*. VI. The  $ma_3^R$  allele results in abnormal phytochrome physiology. *Plant Physiol.* 97:714-719.

- Cordonnier-Pratt, M.-M., L. H. Pratt, S. J. Stewart and Y.-C. Wang. 1991. Multiple phytochromes in *Avena sativa* L.: discovery, characterization and differential expression. In: *Plant Sciences Today*, Y. de Kouchkovsky, ed., INRA Editions, Paris, pp. 57-60.
- Pratt, L. H. 1992. Antibodies and the study of phytochrome. Invited Guest Essay in: *Plant Physiology*, 4th edition, F. B. Salisbury and C. W. Ross, Wadsworth, Belmont, California, pp. 444-445.
- Childs, K. L., M.-M. Cordonnier, L. H. Pratt and P. W. Morgan. 1992. Genetic regulation of development in *Sorghum bicolor*. VII. The  $ma_3^R$  flowering mutant lacks a phytochrome that predominates in green tissue. *Plant Physiol.* 99:765-770.
- Cope, M. and L. H. Pratt. 1992. Intracellular redistribution of phytochrome in etiolated soybean (*Glycine max* L.) seedlings. *Planta* 188:115-122.
- Wang, Y.-C., M.-M. Cordonnier-Pratt and L. H. Pratt. 1992. Detection and quantitation of three phytochromes in unimbibed seeds of *Avena sativa* L. *Photochem. Photobiol.* 56:706-716.
- Stewart, S. J., L. H. Pratt and M.-M. Cordonnier-Pratt. 1992. Phytochrome levels in light-grown *Avena* change in response to end-of-day-irradiations. *Plant Physiol.* 99:1708-1710.
- Farrens, D. L., M.-M. Cordonnier-Pratt, L. H. Pratt and P.-S. Song. 1992. The phytochrome chromophore moves toward the N-terminal chain during phototransformation. A fluorescence energy transfer method using labeled antibody fragments. *Photochem. Photobiol.* 56:725-734.
- Davis, E. L., R. S. Hussey and L. H. Pratt. 1992. Novel immunization procedures used to develop monoclonal antibodies that bind to specific structures in *Meloidogyne* spp. *Phytopathology* 82:1244-1250.
- Wang, Y.-C., M.-M. Cordonnier-Pratt and L. H. Pratt. 1993. Temporal and light regulation of the expression of three phytochromes in germinating seeds and young seedlings of *Avena sativa* L. *Planta* 189:384-390.
- Wang, Y.-C., M.-M. Cordonnier-Pratt and L. H. Pratt. 1993. Spatial distribution of three phytochromes in dark- and light-grown *Avena sativa* L. *Planta* 189:391-396.
- Lindemann, P., S. E. Braslavsky, M.-M. Cordonnier, L. H. Pratt and K. Schaffner. 1993. Effects of bound monoclonal antibodies on the decay of the phototransformation intermediates from  $I_{700}^{1,2}$  from native *Avena* phytochrome. *Photochem. Photobiol.* 58:417-424.
- Hughes, J. E., M. W. Qoronfleh, G. Bisztray and L. H. Pratt. 1993. PIDDLE: PCR-based, in-frame, directional DNA ligation and expression. *Biotechnol. Tech.* 7:91-98.
- Kraepiel, Y., M. Jullien, M.-M. Cordonnier-Pratt and L. H. Pratt. 1994. Identification of two loci in phytochrome expression in *Nicotiana plumbaginifolia* and lethality of the corresponding double mutant. *Molecular and General Genetics* 242:559-565.
- Pratt, L. H. 1994. Phytochrome: distribution and localization. In: *Photomorphogenesis in Plants*, 2nd ed., R. E. Kendrick and G. H. M. Kronenberg, eds., Martinus Nijhoff/Dr. W. Junk, pp. 163-185.
- Kendrick, R. E., L. H. J. Kerckhoffs, A. S. Pundsnes, A. van Tuinen, M. Koornneef, A. Nagatani, M. J. Terry, A. Tretyan, M.-M. Cordonnier-Pratt, B. Hauser and L. H. Pratt. 1994. Photomorphogenic mutants of tomato. *Euphytica* 79:227-234.
- Pratt, L. H. 1995. Phytochromes: differential properties, expression patterns and molecular evolution. *Photochem. Photobiol.* 61:10-21.
- Hauser, B. A., M.-M. Cordonnier-Pratt, F. Daniel-Vedele and L. H. Pratt. 1995. The phytochrome gene family in tomato includes a novel subfamily. *Plant Mol. Biol.* 29:1143-1155.
- Pratt, L. H., M.-M. Cordonnier-Pratt, B. Hauser and M. Caboche. 1995. Tomato contains two differentially expressed genes encoding B-type phytochromes, neither of which can be considered an ortholog of *Arabidopsis* phytochrome B. *Planta* 197:203-206.
- Kerckhoffs, L. H. J., A. van Tuinen, B. A. Hauser, M.-M. Cordonnier-Pratt, A. Nagatani, M. Koornneef, L. H. Pratt and R. E. Kendrick. 1996. Molecular analysis of *tri*-mutant alleles in

- tomato indicates the *tri* locus is the gene encoding the apoprotein of phytochrome B1. *Planta* 199:152-157.
- Baum, T. J., A. Hiatt, W. A. Parrott, L. H. Pratt and R. S. Hussey. 1996. Expression in tobacco of a functional monoclonal antibody specific to stylet secretions of the root-knot nematode. *Molecular Plant-Microbe Interactions* 9:382-387.
- Van Tuinen, A., M-M. Cordonnier-Pratt, L. H. Pratt, R. Verkerk, P. Zabel and M. Koornneef. 1997. The mapping of phytochrome genes and photomorphogenic mutants of tomato. *Theoretical and Applied Genetics*, 94:115-122.
- Childs, K. L., F. R. Miller, M-M. Cordonnier-Pratt, L. H. Pratt, P. W. Morgan and J. E. Mullet. 1997. The *Sorghum bicolor* photoperiod sensitivity gene, *Ma<sub>3</sub>*, encodes a phytochrome B. *Plant Physiol.* 113:611-619.
- Hauser, B. A., L. H. Pratt and M-M. Cordonnier-Pratt. 1997. Absolute quantification of five phytochrome transcripts in seedlings and mature plants of tomato (*Solanum lycopersicum* L.). *Planta* 201:379-387.
- Pratt, L. H., M-M. Cordonnier-Pratt, P. M. Kelmenson, G. I. Lazarova and R. M. Alba. 1997. The phytochrome gene family in tomato (*Solanum lycopersicum* L.). *Plant, Cell & Environment* 20:672-677.
- Pratt, L. H., M-M. Cordonnier-Pratt, B. A. Hauser, R. M. Alba, P. M. Kelmenson, R. E. Kendrick, M. Matsui, G. I. Lazarova, T. Kubota, T. Tsuge, S. Frances, M. Szell, J. L. Peters, L. H. J. Kerckhoffs, M. Koornneef and A. van Tuinen. 1998. Phytochrome family and functions in tomato. In: Landmarks in Photobiology, Proceedings of XII. International Congress on Photobiology, Vienna, pp. 96-99.
- Lazarova, G. I., L. H. J. Kerckhoffs, J. Brandstädter, M. Matsui, R. E. Kendrick, M-M. Cordonnier-Pratt and L. H. Pratt. 1998. Molecular analysis of *PHYA* in wild-type and phytochrome A-deficient mutants of tomato. *Plant Journal* 14:653-662.
- Howe, G. T., P. A. Bucciaglia, W. P. Hackett, G. R. Furnier, M-M. Cordonnier-Pratt and G. Gardner. 1998. Evidence that the phytochrome gene family in black cottonwood has one *PHYA* locus, two *PHYB* loci, but lacks members of the *PHYC/F* and *PHYE* subfamilies. *Mol. Biol. Evol.* 15:160-175.
- Yang, Y-Y., J. L. Peters, R. E. Kendrick, M-M. Cordonnier-Pratt and Y. Kamiya. 1998. A single red-light pulse leads to a block of greening in the high-pigment-1-mutant of tomato. *Planta* 206:685-688.
- Hauser, B. A., M-M. Cordonnier-Pratt and L. H. Pratt. 1998. Temporal and photoregulated expression of five tomato phytochrome genes. *Plant Journal* 14:431-439.
- Lazarova, G. I., T. Kubota, S. Frances, J. L. Peters, M. J. G. Hughes, J. Brandstädter, M. Szell, M. Matsui, R. E. Kendrick, M-M. Cordonnier-Pratt and L. H. Pratt. 1998. Characterization of tomato *PHYB1* and identification of molecular defects in four mutant alleles. *Plant Mol. Biol.*, 38:1137-1146.
- Hanumappa, M., L. H. Pratt, M-M. Cordonnier-Pratt and G. F. Deitzer. 1999. A photoperiod-insensitive barley line contains a light-labile phytochrome B. *Plant Physiol.* 119:1033-1039.
- Alba, R., C. J. Valenzano, S. J. Kays, M-M. Cordonnier-Pratt and L. H. Pratt. 1999. Genetic manipulation of phytochromes in tomato (*Lycopersicon esculentum* Mill.): a novel approach to crop improvement. *Acta Horticulturae* 487:93-98.
- Kerckhoffs, L. H. J., P. M. Kelmenson, M. E. L. Schreuder, C. I. Kendrick, R. E. Kendrick, C. J. Hanhart, M. Koornneef, L. H. Pratt and M-M. Cordonnier-Pratt. 1999. Characterization of the gene encoding the apoprotein of phytochrome B2 in tomato, and identification of molecular lesions in two mutant alleles. *Mol. Gen. Genet.* 261:901-907.
- Alba, R., P. M. Kelmenson, M-M. Cordonnier-Pratt and L. H. Pratt. 2000. The phytochrome gene family in tomato and the rapid differential evolution of this family in angiosperms. *Mol. Biol. Evol.* 17:362-373.

- Alba, R., M-M. Cordonnier-Pratt and L. H. Pratt. 2000. Fruit-localized phytochromes regulate lycopene accumulation independently of ethylene production in tomatoes. *Plant Physiol.* 123:363-370.
- Cordonnier-Pratt, M-M., C. Liang, H. Wang, D. Kolychev, F. Sun, R. Freeman, R. Sullivan and L. H. Pratt. 2004. MAGIC Database and interfaces: an integrated package for gene discovery and expression. *Comp. Funct. Genom.* 5:268-275.
- Pratt, L. H., C. Liang, M. Shah, F. Sun, H. Wang, St. P. Reid, A. R. Gingle, A. H. Paterson, R. Wing, R. Dean, R. Klein, H. T. Nguyen, H-M. Ma, X. Zhao and M-M. Cordonnier-Pratt. 2005. Sorghum expressed sequence tags provide a milestone set of 16,801 unique clusters and identify signature genes for drought, pathogenesis and etiolation. *Plant Physiol.* 139:869-884.
- Salzman, R. A., J. A. Brady, S. A. Finlayson, C. D. Buchanan, E. J. Summer, F. Sun, P. Klein, R. Klein, L. H. Pratt, M-M. Cordonnier-Pratt and J. E. Mullet. 2005. Transcriptional profiling of sorghum in response to methyl jasmonate, salicylic acid, and aminocyclopropane carboxylic acid reveals cooperative gene regulation and novel components implicated in plant defense. *Plant Physiol.* 138:352-368.
- Lorenz, W. W., F. Sun, C. Liang, D. Kolychev, H. Wang, X. Zhao, M-M. Cordonnier-Pratt, L. H. Pratt and J. F. D. Dean. 2005. Water stress-responsive genes in loblolly pine (*Pinus taeda* L.) roots identified by analyses of expressed sequence tags. *Tree Physiology* 26:1-16.
- Buchanan, C. D., S. Lim, R. A. Salzman, I. Kagiampakis, D. T. Morishige, B. D. Weers, R. R. Klein, L. H. Pratt, M-M. Cordonnier-Pratt, P. E. Klein and J. E. Mullet. 2005. Transcriptome analysis of genes induced by ABA, high salt, and osmotic stress in *Sorghum bicolor*. *Plant Mol. Biol.* 58:699-720.
- Devos, K. M., J. Ma, A. C. Pontaroli, L. H. Pratt and J. L. Bennetzen. 2005. Analysis and mapping of randomly chosen BAC clones from hexaploid bread wheat. *Proc. Natl. Acad. Sci., USA*, 102:19243-19248.
- Liang, C., F. Sun, H. Wang, J. Qu, R. M. Freeman Jr., L. H. Pratt and M-M. Cordonnier-Pratt. 2006. MAGIC-SPP: a database-driven DNA sequence processing package with associated management tools. *BMC Bioinformatics* 7:115.